

Euclidean simplices generating discrete reflection groups

A. Felikson, P. Tumarkin

Introduction

Let P be a convex polytope in the spherical space $\mathbb{S}^n$, in the Euclidean space $\mathbb{E}^n$, or in the hyperbolic space $\mathbb{H}^n$. Consider the group G_P generated by reflections in the facets of P . We call G_P a *reflection group generated by P* . The problem we consider in this paper is to list polytopes generating discrete reflection groups.

The answer is known only for some combinatorial types of polytopes. Already in 1873, Schwarz [10] listed spherical triangles generating discrete groups. In 1998, E. Klimenko and M. Sakuma [9] solved the problem for hyperbolic triangles. In [2], [4], [3], [5] the problem was solved for hyperbolic quadrilaterals, compact hyperbolic pyramids and triangular prisms, hyperbolic simplices, and Lambert cubes in $\mathbb{S}^3$, $\mathbb{E}^3$, $\mathbb{H}^3$. In [6] the problem was solved for spherical simplices.

In this paper, we use the method of [6] to classify Euclidean simplices generating discrete reflection groups.

The authors are grateful to the Max-Planck Institute for Mathematics in Bonn for hospitality.

1 Preliminaries

A convex polytope in $\mathbb{S}^n$, $\mathbb{E}^n$ or $\mathbb{H}^n$ is called a *Coxeter polytope* if all its dihedral angles are submultiples of π . The group G_F generated by reflections in the facets of any Coxeter polytope F is discrete, and F is a fundamental domain of G_F .

On the other hand, any discrete group G generated by reflections coincides with G_F for some Coxeter polytope F . If $G = G_P$ for some non-Coxeter polytope P , then P consists of several copies of F , and any two copies containing a facet in common are symmetric to each other with respect to this facet.

Spherical reflection groups. Let G be a reflection group acting on $\mathbb{S}^n$. Suppose that G acts on $\mathbb{S}^n$ discretely, i.e. G is a finite group. Then G is generated by reflections in the facets of some spherical Coxeter polytope. It is shown by H. S. M. Coxeter [1] that any spherical Coxeter polytope containing no pair of antipodal points of $\mathbb{S}^n$ is a simplex.

To describe Coxeter polytopes we use *Coxeter diagrams*. A Coxeter diagram of a Coxeter polytope F is a graph whose nodes v_i correspond to the facets Π_i

of F . Nodes v_i and v_j are joined by a $(k - 2)$ -fold edge if the dihedral angle formed up by Π_i and Π_j equals $\frac{\pi}{k}$ (if Π_i is orthogonal to Π_j , v_i and v_j are disjoint). Indecomposable spherical and Euclidean Coxeter simplices were classified by Coxeter [1]. The list of their Coxeter diagrams is represented in Table 1.

Euclidean reflection groups. Let G be a discrete reflection group acting on $\mathbb{E}^n$. Let F be a fundamental chamber of G . As it is shown in [1], F is a direct product of several simplices and simplicial cones.

Suppose that G is generated by a simplex (the simplex may not be a Coxeter simplex). Then G is an indecomposable group and the fundamental chamber of G is compact. In this case the fundamental chamber of G is one of the simplices $\tilde{A}_n, \tilde{B}_n, \tilde{C}_n, \tilde{D}_n, \tilde{E}_6, \tilde{E}_7, \tilde{E}_8, \tilde{F}_4$ and $\tilde{G}_2$ (see Table 1).

See [11] for more information about discrete reflection groups.

We use the notation $A_n, \tilde{A}_n, B_n$ and so on for Coxeter simplices as well as for the groups generated by these simplices. Finite root systems are denoted by A_n, B_n and so on. See [8] for background on root systems.

Let P be a simplex generating discrete reflection group (P may not be a Coxeter simplex). Clearly, in this case all the dihedral angles of P are of the type $\frac{\pi m}{k}$. Hence, for any simplex generating discrete reflection group we can construct the following *generalized Coxeter diagram*: the nodes v_i of the diagram correspond to the facets Π_i of P ; the nodes v_i and v_j are joined by a $(k - 2)$ -fold edge that is decomposed into m parts if the dihedral angle formed up by Π_i and Π_j equals to $\frac{\pi m}{k}$.

2 Families of simplices

Spherical simplices generating discrete reflection groups. Let $\mathbb{E}^n$ be the n -dimensional Euclidean space, and let S^{n-1} be the unit sphere centered at the origin. Any hyperplane of S^{n-1} is a section of S^{n-1} by some hyperplane of $\mathbb{E}^n$ containing the origin. Hence, any $(n - 1)$ -dimensional simplex in S^{n-1} is an intersection of S^{n-1} with an interior of some cone with n facets in $\mathbb{E}^n$ centered at the origin.

So, suppose that P is a spherical $(n - 1)$ -dimensional simplex. Then we can define P by unit outward normal vectors $f_1, \dots, f_n$ to the facets of the corresponding cone.

Denote by $\Pi_1, \dots, \Pi_n$ the facets of P . The hyperplanes containing $\Pi_1, \dots, \Pi_n$ decompose S^{n-1} into 2^n simplices $P_1, \dots, P_{2^n}$ encoded by n -tuples of vectors $\{\pm f_1, \dots, \pm f_n\}$. In this paper the set of simplices $P_1, \dots, P_{2^n}$ is called a *family*. Each of the simplices $P_1, \dots, P_{2^n}$ generates the same reflection group as P does. Thus, we can study the families instead of studying of simplices themselves. (In fact, any family contains at most 2^{n-1} simplices up to isometry: the simplex $\{f_1, \dots, f_n\}$ is always congruent to $\{-f_1, \dots, -f_n\}$).

Let P be a simplex generating a discrete reflection group G_P . Clearly, the dihedral angles of P are rational numbers multiplied by π . Moreover, if G is an

Table 1: Coxeter diagrams. Connected elliptic and parabolic Coxeter diagrams are listed in left and right columns respectively. Special nodes are marked.

A_n ($n \geq 1$)		$\tilde{A}_1$	
		$\tilde{A}_n$ ($n \geq 2$)	
$B_n = C_n$ ($n \geq 2$)		$\tilde{B}_n$ ($n \geq 3$)	
		$\tilde{C}_n$ ($n \geq 2$)	
D_n ($n \geq 4$)		$\tilde{D}_n$ ($n \geq 4$)	
$G_2^{(m)}$		$\tilde{G}_2$	
F_4		$\tilde{F}_4$	
E_6		$\tilde{E}_6$	
E_7		$\tilde{E}_7$	
E_8		$\tilde{E}_8$	
H_3			
H_4			

indecomposable spherical reflection group different from $G_2^{(m)}$, H_3 and H_4 , then any dihedral angle of P is either $\frac{\pi}{k}$ or $\frac{\pi(k-1)}{k}$, where $k = 2, 3$ or 4 (cf. Table 1).

Analogously to Coxeter simplices, any simplex whose dihedral angles equal either $\frac{\pi}{k}$ or $\frac{\pi(k-1)}{k}$ can be represented by the following *family diagram*: the nodes v_i correspond to the facets of P ; the nodes v_i and v_j are joined by a $(k-2)$ -fold edge if the angle formed up by Π_i and Π_j is either $\frac{\pi}{k}$ or $\frac{\pi(k-1)}{k}$ (if Π_i is orthogonal to Π_j , v_i and v_j are disjoint).

Note, that if P is a Coxeter simplex then the diagram corresponding to P is a Coxeter diagram of P .

Any two simplices in one family have the same family diagram. So, we can assign to a family the diagram of any simplex contained in the family. We call this diagram a *family diagram*. It is proved in [6] (Lemma 2) that any graph having no edge of multiplicity greater than two is a family diagram for at most one family of simplices. The same statement for the dihedral group $G_2 = G_2^{(6)}$ is evident.

Euclidean simplices generating discrete reflection groups. Let P be a simplex in $\mathbb{E}^n$ generating discrete reflection group G_P . Let $\Pi_0, \dots, \Pi_n$ be the facets of P , and $f_0, \dots, f_n$ be the outward unit normal vectors to $\Pi_0, \dots, \Pi_n$. The hyperplanes containing $\Pi_0, \dots, \Pi_n$ decompose $\mathbb{E}^n$ into $2^{n+1} - 1$ domains $P_1, \dots, P_{2^{n+1}-1}$ encoded by the vectors $\{\pm f_0, \dots, \pm f_n\}$. All these domains except the initial simplex P are non-compact. Simplex P is encoded by the vectors $\{f_0, \dots, f_n\}$. Each of the domains P_i generates the same reflection group as P does.

By a *family of Euclidean simplices* we call a set of simplices having the same set of vectors $\{\pm f_0, \dots, \pm f_n\}$. Note, that in the Euclidean case any two simplices contained in one family are mutually similar (moreover, any two of these simplices are homothetic).

We classify Euclidean simplices generating discrete reflection groups up to similarity.

Furthermore, note that any dihedral angle of P is either $\frac{\pi}{k}$ or $\frac{\pi(k-1)}{k}$, where $k = 2, 3, 4$ or 6 (see Table 1). Hence, we can define *family diagrams* for Euclidean simplices in the same way as for the spherical ones.

Lemma 1. *Let Φ and Ψ be two different families of Euclidean simplices generating discrete reflection groups. Then their family diagrams are distinct.*

The proof of the lemma follows the proof of Lemma 2 from paper [6].

3 Special vertices

In this section we prove several auxiliary facts.

A hyperplane α is called a *mirror* of the group G if G contains a reflection with respect to α .

Lemma 2. *Let P be a simplex in $\mathbb{E}^n$ generating discrete reflection group G_P . Then no mirror of G_P decomposing P is parallel to a facet of P .*

Proof. Let $\Pi_0, \dots, \Pi_n$ be the facets of P and let V_0 be the vertex opposite to Π_0 . Suppose that there exists a mirror of G_P that is parallel to Π_0 and decomposes P . Since G_P is discrete, there exist only finitely many of such mirrors. Let m be one of them closest to V_0 .

Denote by h the homothety with center V_0 taking Π_0 to m . Denote by r_i the reflection with respect to Π_i ($i = 0, \dots, n$), and by r the reflection with respect to m . Since $r \in G_P$, $r = r_{i_1} \dots r_{i_l}$ for some l . From the other hand, $r = hr_0h^{-1}$.

Consider the reflection $hrh^{-1} = (hr_{i_1}h^{-1}) \dots (hr_{i_l}h^{-1})$. Since $hr_{i_1}h^{-1} \in G_P$ for any $i = 0, \dots, n$, we have $hrh^{-1} \in G_P$. Furthermore, hrh^{-1} is a reflection with respect to some hyperplane m' parallel to m . Moreover, m' decomposes P and goes closer to V_0 than m . This contradicts to the choice of m . $\square$

Lemma 3. *Let P be a simplex generating discrete group G_P . Let V be a vertex of P and $\Pi_1, \dots, \Pi_n$ be the facets of P containing V . Then the stabilizer $\text{Fix}(V, G_P)$ of V in G_P coincides with the group G generated by the reflections with respect to $\Pi_1, \dots, \Pi_n$.*

Proof. Suppose that the lemma is false. Then there exists a non-empty set M of simplices for which the statement of the lemma is broken. We may assume that $P \in M$ is a simplex minimal by the inclusion. Let V be a vertex of P for which the statement of the lemma is false. Then among the dihedral angles formed up by $\Pi_1, \dots, \Pi_n$ there exists a dihedral angle $\pi \frac{k}{m}$, where $1 < k < m$ are mutually co-prime integers. Suppose that this angle is formed up by Π_1 and Π_n .

Consider a mirror Π of G such that Π contains $\Pi_1 \cap \Pi_n$, and the angle formed up by Π and Π_1 is equal to $\frac{\pi}{m}$. This mirror decomposes P into two simplices P_1 and P_2 . Let P_1 be the simplex having a facet Π_1 . Denote by G_{P_1} the group generated by P_1 . Clearly, $G_{P_1} = G_P$. Furthermore, the group generated by the reflections with respect to the facets $\Pi, \Pi_1, \dots, \Pi_{n-1}$ coincides with the group generated by the reflections with respect to the facets $\Pi_1, \dots, \Pi_n$. From the other hand, the stabilizer $\text{Fix}(V, G_{P_1})$ of V in G_{P_1} coincides with $\text{Fix}(V, G_P)$. By the assumption, $\text{Fix}(V, G_P)$ does not coincide with the group generated by the reflections with respect to $\Pi_1, \dots, \Pi_n$. Hence, $\text{Fix}(V, G_{P_1})$ differs from the group generated by the reflections with respect to $\Pi, \Pi_1, \dots, \Pi_{n-1}$. Thus, the statement of the lemma is broken for P_1 . This contradicts to the assumption that $P \in M$ is the minimal simplex, and the lemma is proved. $\square$

Let P be any Euclidean polytope generating discrete reflection group. Suppose that there exists a vertex V of P such that the stabilizer of V contains a linear part of any element of G_P . We call such a vertex a *special vertex* of P . It is known (see [8], Ch. 6) that any Euclidean Coxeter simplex has at least one special vertex.

Lemma 4. *Let P be a simplex generating discrete reflection group G_P . Then P has at list one special vertex.*

Proof. Let F be a fundamental polytope of G_P contained in P . Since G_P is indecomposable, F is a simplex. Any fundamental polytope of discrete reflection group is Coxeter polytope, thus F is a Coxeter simplex. Let V be a special vertex of F .

Suppose that F is either an inner point of P or an inner point of some face of P . Let Π be any facet of P not containing V . Let m be the mirror of G_P parallel to Π and containing V . Then m cuts P , that contradicts to Lemma 2.

Thus, V is a vertex of P . Let $\Pi_1, \dots, \Pi_n$ be the facets of P containing V . By Lemma 3, the reflections with respect to $\Pi_1, \dots, \Pi_n$ generate the stabilizer $Fix(V, G_P)$ of V in G_P . Thus, V is a special vertex of P . □

4 Simplices generating given reflection group

Let G be an indecomposable Euclidean reflection group. Let P be a simplex generating G , and $f_0, f_1, \dots, f_n$ be the vectors orthogonal to the facets of P . By Lemma 4, there exists a special vertex V of P . Let $\Pi_0, \dots, \Pi_n$ be facets of P , such that Π_i is orthogonal to f_i for $i = 0, \dots, n$. We may assume that V is contained in $\Pi_1, \dots, \Pi_n$.

The stabilizer $Fix(V, G)$ of V in G is a Weyl group of some finite root system Δ . Suitably normalizing the vectors $f_0, f_1, \dots, f_n$, we may assume that these vectors belong to Δ . Since V is a special vertex of P , there exists a mirror of G through V parallel to Π_0 . By Lemma 3, suitably normalizing f_0 we may assume that f_0 is contained in Δ . Note, that $f_0, f_1, \dots, f_n$ are linearly dependent vectors, however any n of these vectors are linearly independent.

Now we are able to find all families of simplices generating given group G .

Let F be a fundamental simplex of G , and let U be a special vertex of F . Denote by W the stabilizer $Fix(U, G)$, and let Δ be the corresponding root system. Let $v_0, \dots, v_n$ be any set containing $n + 1$ vectors of Δ , such that any n of these vectors are linearly independent. Let $\Pi_1, \dots, \Pi_n$ be the mirrors of G containing U and orthogonal to $v_1, \dots, v_n$. Let Π_0 be a mirror of G closest to U , orthogonal to v_0 and not containing U . Then the mirrors $\Pi_0, \Pi_1, \dots, \Pi_n$ are the facets of some simplex P generating a finite index subgroup of G . If, in addition, the reflections with respect to $\Pi_1, \dots, \Pi_n$ generate W , then some simplex similar to P generates G (the only exception is the group $W = B_n = C_n$; in this case we can obtain either $\tilde{B}_n$ or $\tilde{C}_n$ depending on the vector v_0 , see Section 4.2).

In other word, to classify families generating G it is sufficient to follow the algorithm:

- 1) Find all linearly independent systems $f_1, \dots, f_n$ in Δ , generating W (we say that $f_1, \dots, f_n$ generate W , if the reflections with respect to the hyperplanes through the origin orthogonal to these vectors generate W).
- 2) For each system $f_1, \dots, f_n$ obtained on the previous step, add a vector $f_0 \in \Delta$ in such a way that any n of vectors $f_0, f_1, \dots, f_n$ are linearly independent. This vector f_0 should be chosen by all possible ways.

- 3) If $W = B_n = C_n$, examine which of the groups $\tilde{B}_n$ and $\tilde{C}_n$ is generated by $f_0, f_1, \dots, f_n$.
- 4) Among the obtained systems one should find the systems corresponding to different families, i.e. families having different family diagrams.

The order of vectors in the systems is not important for us. The Weyl group acts on $\mathbb{E}^n$, hence, it acts on $(n+1)$ -tuples of vectors. We do not differ $(n+1)$ -tuples equivalent with respect to this action.

4.1 Simplices generating $\tilde{A}_n$

Let P be a simplex generating the group $\tilde{A}_n$. We may assume that the vectors $f_0, f_1, \dots, f_n$ belong to the root system $A_n = \{\pm(h_i - h_j)\}, 0 \leq i < j \leq n$, where $h_0, \dots, h_n$ is a standard basis of $\mathbb{E}^{n+1}$.

For any simplex $P = \{f_0, f_1, \dots, f_n\}$ generating $\tilde{A}_n$ we construct the following graph $\Gamma(P)$: the nodes $v_0, \dots, v_n$ of Σ correspond to the vectors $h_0, \dots, h_n$; the nodes v_i and v_j are joined by an edge if one of vectors $(h_i - h_j)$ and $-(h_i - h_j)$ belongs to the set $\{f_0, \dots, f_n\}$. Clearly, two simplices from one family have the same graph.

Theorem 1. *There exists a unique family of simplices generating $\tilde{A}_n$. This family consists of Coxeter simplices A_n .*

Proof. Let $P = \{f_0, f_1, \dots, f_n\}$ be a simplex generating $\tilde{A}_n$ and $\Gamma(P)$ be the corresponding graph. Then $\Gamma(P)$ contains exactly $n+1$ nodes and the same number of edges. Since any n vectors contained in the set $\{f_0, \dots, f_n\}$ are linearly independent, $\Gamma(P)$ has no cycles containing less than $n+1$ nodes. Hence, $\Gamma(P)$ is a cycle with $n+1$ nodes.

Note, that the graph $\Gamma(P)$ determines the family diagram of P . In more details, the nodes of the family diagram correspond to the edges of $\Gamma(P)$, two nodes are joined if the corresponding edges of $\Gamma(P)$ have a common node. Hence, in case of $\tilde{A}_n$ the family diagram is a cycle, too. By Lemma 1, the family of simplices is completely determined by a family diagram. Thus, P is a Coxeter simplex $\tilde{A}_n$. □

4.2 Simplices generating $\tilde{B}_n$ and $\tilde{C}_n$

Let P be a simplex generating the group $\tilde{B}_n$ or $\tilde{C}_n$. We may assume that the vectors $f_0, f_1, \dots, f_n$ belong to the root system $B_n = \{\pm h_i, \pm h_i \pm h_j\}, 1 \leq i < j \leq n$, where $h_1, \dots, h_n$ is a standard basis of $\mathbb{E}^n$.

For any simplex $P = \{f_0, f_1, \dots, f_n\}$ generating $\tilde{B}_n$ or $\tilde{C}_n$ we construct the following graph $\Gamma(P)$: the nodes $v_1, \dots, v_n$ of Σ correspond to the vectors $h_1, \dots, h_n$; the nodes v_i and v_j are joined by an edge if one of vectors $\pm(h_i - h_j)$ and $\pm(h_i + h_j)$ belongs to the set $\{f_0, \dots, f_n\}$; the node v_i is *marked* if $\{f_0, f_1, \dots, f_n\}$

contains $\pm h_i$. If $\{f_0, f_1, \dots, f_n\}$ contains both $\pm(h_i + h_j)$ and $\pm(h_i - h_j)$, the nodes v_i and v_j are joined by two edges.

Since the system of vectors $f_0, f_1, \dots, f_n$ is indecomposable, $\Gamma(P)$ is connected. Clearly, $\Gamma(P)$ contains at least one marked node (otherwise f_i belongs to D_n for any i , where D_n is embedded in B_n as a set of long roots).

Lemma 5. *Let P be a simplex generating $\tilde{B}_n$ or $\tilde{C}_n$.*

- 1) *If $\Gamma(P)$ contains more than one marked node then P is a Coxeter simplex $\tilde{C}_n$.*
- 2) *If $\Gamma(P)$ contains a unique marked node then $\Gamma(P)$ is one of the graphs shown in the left column of Table 2.*

Proof. Suppose that $\Gamma(P)$ contains more than one marked node. Then $\Gamma(P)$ contains a path from one marked node to another. Consider such a path that does not intersect itself. The vectors corresponding to the edges and marked nodes of this path are linearly dependent. Hence, the path contains all edges of $\Gamma(P)$, and $\Gamma(P)$ is the graph shown in Fig. 1. In this case $P = \tilde{C}_n$.

Now suppose that $\Gamma(P)$ contains a unique marked node. Since the number of edges of $\Gamma(P)$ equals n and the number of nodes equals $(n + 1) - 1 = n$, $\Gamma(P)$ contains a unique cycle (it may consist of two nodes). Since any n vectors are linearly independent, if the cycle contains less than n edges then it does not contain the marked node. Hence, $\Gamma(P)$ have a subgraph shown in the left column of Table 2. From the other hand, this subgraph corresponds to linearly dependent system of vectors. Hence, this subgraph coincides with $\Gamma(P)$. $\square$



Figure 1: Graph $\Gamma(\tilde{C}_n)$.

Theorem 2. *There exists exactly $n - 1$ families of simplices generating the group $\tilde{B}_n$. Family diagrams and generalized Coxeter diagrams of these simplices are shown in Table 2.*

Proof. By the second statement of Lemma 5, any simplex P generating $\tilde{B}_n$ corresponds to a graph $\Gamma(P)$ shown in the left column of Table 2.

Let us show that any graph Γ shown in the left column of Table 2 corresponds to a simplex generating $\tilde{B}_n$. It is easy to see that any n of vectors $f_0, f_1, \dots, f_n$ are linearly independent and all these vectors are linearly dependent. Hence, Γ corresponds to some simplex P in $\mathbb{E}^n$. The group generated by P is a maximal rank indecomposable subgroup of $\tilde{B}_n$, and the fundamental simplex of this subgroup has a dihedral angle equal to $\frac{\pi}{4}$. By [7], P generates either $\tilde{B}_n$ or $\tilde{C}_n$.







Let φ and ψ be two dihedral angles equal to $\frac{\pi}{4}$ formed up by mirrors of G_P . Then there exists an element γ of G_P such that $\gamma(\varphi) = \psi$. The group $\tilde{C}_n$ contains two equivalency classes of such dihedral angles. Hence, $G_P \neq \tilde{C}_n$ and P generates $\tilde{B}_n$.

Furthermore, let us show that each graph shown in the left column of the Table 2 corresponds to a unique family of simplices generating $\tilde{B}_n$. Indeed, the family diagram of the family containing P can be easily recovered from $\Gamma(P)$: all but one nodes of the diagram correspond to the edges of $\Gamma(P)$, two nodes are adjacent if the corresponding edges have a common point; the rest node corresponds to the marked node of $\Gamma(P)$, this node is joined by a 2-fold edge with all the nodes that correspond to edges of $\Gamma(P)$ incident to the marked node. Thus, any graph shown in the left column of Table 2 corresponds to a unique family diagram, and, by Lemma 1, it corresponds to a unique family. An explicit calculation shows that the generalized Coxeter diagram of simplex generating $\tilde{B}_n$ is one of the diagrams shown in the right column of Table 2.

Thus, families of simplices generating $\tilde{B}_n$ are in one-to-one correspondence with graphs shown in the left column of Table 2. To find the number of these families note, that $\Gamma(P)$ is uniquely determined by the number of edges in the cycle. The latter is any integer number N satisfying $2 \leq N \leq n$.

□

Table 2: Simplices generating $\tilde{B}_n$.

$\Gamma(P)$	Family diagram	Generalized Coxeter diagram
		
		

As a corollary of Theorem 2 and the first statement of Lemma 5 we obtain the following theorem:

Theorem 3. *There exists a unique family of simplices generating $\tilde{C}_n$. This family consists of Coxeter simplices $\tilde{C}_n$.*

4.3 Simplices generating $\tilde{D}_n$

Let P be a simplex generating the group $\tilde{D}_n$. We may assume that the vectors $f_0, f_1, \dots, f_n$ belong to the root system $D_n = \{\pm h_i \pm h_j\}, 1 \leq i < j \leq n$, where $h_1, \dots, h_n$ is a standard basis of $\mathbb{E}^n$.

For any simplex $P = \{f_0, f_1, \dots, f_n\}$ generating $\tilde{D}_n$ we construct the following graph $\Gamma(P)$: the nodes $v_1, \dots, v_n$ of Σ correspond to the vectors $h_1, \dots, h_n$; the nodes v_i and v_j are joined by an edge if one of vectors $\pm(h_i - h_j)$ and $\pm(h_i + h_j)$ belongs to the set $\{f_0, \dots, f_n\}$; if $\{f_0, f_1, \dots, f_n\}$ contains both $\pm(h_i + h_j)$ and $\pm(h_i - h_j)$ then v_i and v_j are joined by two edges.

The system of vectors $f_0, f_1, \dots, f_n$ is indecomposable, hence, $\Gamma(P)$ is connected. Since $\Gamma(P)$ has n nodes and $n + 1$ edges, $\Gamma(P)$ contains at least two cycles C_1 and C_2 .

Suppose that C_1 and C_2 have no common nodes. Since the graph containing two disjoint cycles corresponds to a linearly dependent system of vectors, $\Gamma(P)$ is one of the graphs shown in the left column of Table 3. If C_1 and C_2 have a unique common node then $\Gamma(P)$ is the graph shown at the bottom of left column of Table 3.

Lemma 6. *Suppose that $\Gamma(P)$ contains two cycles having at least two common nodes. Then the system of vectors $f_0, f_1, \dots, f_n$ contains n linearly dependent vectors.*

Proof. Consider the graph $\Gamma(P)$ colored by the following way: edges corresponding to vectors $\pm(h_i + h_j)$ are red, and the rest edges, i.e. the edges corresponding to $\pm(h_i - h_j)$, are black. Note that substituting the vector h_i by $-h_i$ we change the color of all edges incident to v_i . Thus, preserving the vectors $f_0, f_1, \dots, f_n$, we can make all but one edge of a given cycle black (the rest edge is either red or black). Vectors $h_1 - h_2, h_2 - h_3, \dots, h_k - h_1$ are linearly dependent. Hence, each cycle containing an even number of red edges corresponds to a system of linearly dependent vectors.

Consider common nodes of two cycles contained in $\Gamma(P)$. There are at least three paths L_1, L_2 and L_3 joining these nodes in $\Gamma(P)$. Denote by $c(L_i)$ the number of red edges in L_i . Then $c(L_i) + c(L_j)$ is even for some $i \neq j, i, j = 1, 2, 3$. We assume that $c(L_1) + c(L_2)$ is even. Then the cycle $C = L_1 \cup L_2$ contains even number of red edges, so, it corresponds to some linearly dependent vectors. Since some edges of $\Gamma(P)$ do not belong to C , the number of these linearly dependent vectors is less than $n + 1$. The contradiction proves the lemma. $\square$

Corollary 1. *$\Gamma(P)$ contains exactly two cycles and coincides with one of graphs shown in the left column of Table 3.*

Thus, we obtain the following theorem:

Theorem 4. *The group $\tilde{D}_n$ is generated by exactly $\frac{1}{4}n(n-2)$ families of simplices if n is even, and by exactly $\frac{1}{4}(n-1)^2$ families if n is odd. Family diagrams and generalized Coxeter diagrams of these simplices are presented in Table 3.*

Table 3: Simplices generating $\tilde{D}_n$.

$\Gamma(P)$	Family diagram	Generalized Coxeter diagram

Proof. By Cor. 1, a simplex P generating $\tilde{D}_n$ corresponds to a graph $\Gamma(P)$ shown in the left column of Table 3.

Let us show that any graph Γ shown in the left column of Table 3 corresponds to a simplex generating $\tilde{D}_n$. For each cycle of Γ choose an edge $v_i v_j$ and put the vector $h_i - h_j$ in correspondence with this edge (in other words, suppose these edges to be red). For all other edges $v_k v_l$ take vectors $h_k + h_l$. It is easy to see that any n of these vectors are linearly independent and all these vectors are linearly dependent. Hence, Γ corresponds to some simplex P in $\mathbb{E}^n$. By [7], the group $\tilde{D}_n$ has no finite index indecomposable subgroups different from $\tilde{D}_n$. Therefore, P generates $\tilde{D}_n$.

Now, show that each graph Γ shown in the left column of Table 3 corresponds to a unique family of simplices generating $\tilde{D}_n$. Indeed, a family diagram of the family containing P can be recovered from $\Gamma(P)$: nodes of diagram correspond to edges of Γ , two nodes are adjacent if the corresponding edges have a common point. Therefore, the family does not depend on the choice of initial edges. Moreover, in the beginning of the procedure we could make red not one but several edges: the family diagram would not be changed. Hence, family diagram of simplices generating $\tilde{D}_n$ are in one-to-one correspondence with graphs shown in the left column of Table 3. By Lemma 1, each family diagram corresponds to a unique family. Thus, families of simplices generating $\tilde{D}_n$ are in one-to-one correspondence with graphs shown in the left column of Table 3. An explicit calculation shows that generalized Coxeter diagram of simplex generating $\tilde{D}_n$ is one of diagrams shown in the right column of Table 3.

To find the number of families note, that $\Gamma(P)$ is uniquely determined by the numbers N_1 and N_2 of edges in two cycles. Numbers N_1 and N_2 are any two integers satisfying $N_1 + N_2 \leq n + 1$ and $2 \leq N_1 \leq N_2 \leq n$. The number of such pairs (N_1, N_2) equals either $\frac{1}{4}n(n-2)$ or $\frac{1}{4}(n-1)^2$ if n is even or odd respectively.

□

4.4 Simplices generating other groups

In Sections 4.1–4.3 we have described all families generating the groups $\tilde{A}_n$, $\tilde{B}_n$, $\tilde{C}_n$ and $\tilde{D}_n$. Now, we are left to classify families generating finitely many of other indecomposable Euclidean reflection groups. Namely, we are left with the groups $\tilde{E}_6$, $\tilde{E}_7$, $\tilde{E}_8$, $\tilde{F}_4$, and $\tilde{G}_2$. We can find the complete answer following the algorithm contained in the beginning of Section 4. As the result we obtain the lists which are rather large: there exist

- 17 families of simplices generating $\tilde{E}_6$,
- 142 families of simplices generating $\tilde{E}_7$,
- 1736 families of simplices generating $\tilde{E}_8$,
- 11 families of simplices generating $\tilde{F}_4$,
- and 2 families of simplices generating $\tilde{G}_2$.

Appendix contains the complete list of these families.

Appendix

Appendix contains the list of families generating $\tilde{E}_6$, $\tilde{E}_7$, $\tilde{E}_8$, $\tilde{F}_4$, and $\tilde{G}_2$. Families generating E_6 , E_7 and E_8 are encoded in the following way. For a family $\pm f_0, \pm f_1, \dots, \pm f_n$ construct a symmetrical matrix $G^+ = \{g_{i,j}\}$, where $g_{i,j} = 2|(f_i, f_j)|$. This is a doubled unsigned Gram matrix of the system $f_0, f_1, \dots, f_n$. The upper triangle of G^+ is filled up by 0 and 1. Let p be a decimal number which is equal to the binary number $\overline{g_{1,2}g_{1,3}\dots g_{1,n}g_{2,3}\dots g_{2,n}\dots g_{i,i+1}\dots g_{i,n}\dots g_{n-1,n}}$. The number p depends on the ordering of vectors $f_0, f_1, \dots, f_n$. We choose p the smallest possible.

Families generating $\tilde{E}_6$

515583 128885 104443 104126 104021 104011 64447 40671 39646 39583 39573
35838 35695 35629 35622 35131 35128

Families generating $\tilde{E}_7$

33554431 33554375 33148285 33148159 16576223 16574174 16574039 16540255
15062365 15062363 8288107 8287019 7273471 7273323 7273255 7273249 6813566
6813547 6813536 6813517 6746927 6746917 6746893 6740393 6709105 6709103
6708972 6706915 6706849 6706529 6483890 6483689 6483675 6483674 6482603
6482587 6482586 6480625 6480411 6480410 6466539 6466515 6466502 6462463
6462076 6462033 6462031 6462029 6462028 3112959 3112885 3112884 2579953
2578873 2359295 2359289 2358204 2358201 2358199 2358196 2358193 2353855
2353852 2353846 2353845 2353843 2352764 2352719 2325497 2325429 2325425
2322165 2321148 2321078 2321074 2320093 2320092 2320044 2320022 2320020
2319949 2318901 2318861 2305919 2305916 2305909 2305885 2305876 2305868
2304831 2304821 2304790 2304780 2301661 2301659 2301656 2301596 2301594
2301593 2301591 2301590 2301588 2301587 2301586 2301584 2177023 2177012
2177006 2177002 2176996 2176993 2176983 2176982 2176958 2176940 2176938
2176934 2176928 2176910 2175854 2175852 2175847 2175844 2175823 2175822
2175820 2175813 2175812 2166783 2166638 2166635 2166634 2166572 2166567
2166563 2166562 2166079 2166074 2166073 2166059 2166057 2166056

Families generating $\tilde{E}_8$

16642998271 16575889407 16575348735 8036015852 8036015839 8036015609
8027492222 8027491834 8023230399 8023229951 8023229630 7834757047
7834756850 7834756844 7834756831 7834756727 7834756687 7834756660
7834756615 3758096383 3758096377 3749707775 3749707770 3749572602
3749572601 3749572351 3749572334 3749572333 3749572331 3749572319
3745310463 3745310445 3745310335 3745310327 3745310302 3743179391
3743179383 3743179327 3743179295 3611160286 3611159190 3611158111
3611158095 3611158094 3611157143 3611157014 3611156999 3548144143
3548143711 3548143710 3543645815 3543645809 3543613052 3543613049
3543612031 3543612028 3543612025 3543612020 3543612017 3543611997
3543611995 3543477119 3543477079 3543477023 3523012220 3523012217
3523012215 3523012209 3523012191 3523012188 3523012175 3523012164
3522978431 3522978420 3522978391 3522978380 3522978375 3522978367
3522978335 3522978319 3522978311 3522741887 3522741881 3522741876
3522741873 3522741847 3522741375 3522741372 3522741369 3514759039
3514759030 3514759029 3514759022 3514759021 3514759019 3514725247
3514725238 3514725237 3514725223 3514725220 3514725217 3514725183
3514725166 3514725165 3514725163 3514725159 3514725153 3514463009
3514454878 3514454877 3514454872 3514454871 3514454865 3514454863
3514454860 3514454815 3514454810 3514454809 3514454798 3514454797

3514454795	3514454554	3514454335	3514454330	3514454329	3514454303
3514454298	3514454297	3514365803	3514364705	3514355998	3514355997
3514355995	3514353535	3514353526	3514353525	3514353511	3514353508
3514353505	3514352767	3514352758	3514352757	3514352749	3514352747
1606418431	1606418430	1606350719	1606350718	1606350701	1606350700
1604219695	1405091838	1405091764	1405091006	1405026155	1405026081
1405024107	1404993386	1404991265	1404990243	1404989547	1404989539
1404531691	1404531617	1404531501	1404525183	1404525153	1404517247
1404517228	1404501995	1404499819	1404498785	1404498731	1404492745
1404492449	1404492203	1404491361	1404491115	1404483498	1402926959
1402926955	1402926191	1402926187	1402926179	1402926123	1402894117
1402894113	1402893409	1402893349	1402893347	1402893091	1402892385
1402892323	1402453806	1402402667	1402402603	1402402595	1402402187
1402402123	1402401633	1402401571	1402401569	1402401153	1402401089
1402394211	1402394155	1402394147	1402394145	1402393899	1402388259
1402386347	1402386219	1402369893	1402369891	1402369889	1402368865
1402368803	1402361681	1402361673	1402361667	1402361665	1402361601
1402361443	1402361441	1402361201	1402361193	1402361187	1402361185
1402360417	1402360355	1402360105	1402360099	1402353569	1402352481
1375400764	1375400745	1375400738	1375400721	1375400719	1375393398
1375393384	1375393379	1375393371	1375393149	1375393148	1375359614
1375359595	1375359359	1375359358	1375359291	1375359290	1371241407
1371241397	1371241383	1371241367	1371241359	1371241349	1371239203
1371239179	1371239169	1371232943	1371232933	1371232909	1371232703
1371232702	1371232685	1371232684	1371173803	1371173793	1371173763
1371173675	1371173673	1371173667	1371173665	1371173643	1371173641
1371173635	1371173633	1371167275	1371167265	1371167241	1371167151
1371167150	1371167147	1371167146	1371165375	1371165369	1371165365
1371165341	1371165339	1371165243	1371165233	1371165227	1371165217
1371165203	1371165193	1371165115	1371165114	1371164991	1371164990
1371164985	1371164979	1371164978	1371102123	1371099947	1371099937
1371097387	1371097386	1371097385	1370190763	1370190633	1370190511
1370190505	1370190501	1370190475	1370190379	1370190369	1370190345
1370190255	1370190123	1370190113	1370189995	1370189985	1370189961
1369112535	1369108216	1369103847	1369103846	1369103843	1369103842
1369102917	1369101979	1369101731	1369101730	1369101687	1369036784
1369034085	1369034084	1369034081	1369034080	1368973285	1368973093
1368972197	1368971105	1368968677	1368968676	1368968673	1368968672
1368968481	1368967521	1368967520	1368966565	1368966564	1368966517
1368932727	1368127459	1368127438	1368127115	1368126950	1368126892
1368126849	1368126819	1368126791	1368126697	1368126660	1368126627
1368126565	1368126511	1358886767	1358886766	1358886765	1358886764
1358886763	1358886762	1358852911	1358852910	1358852909	1358852908
1358852905	1358852904	1358755694	1358755691	1358755688	1358754598
1358754595	1358754592	1358751596	1358751594	1358751593	1358751343
1358751342	1358751341	1358751340	1358751337	1358751311	1358751310

1358721833	1358717742	1358717739	1358717543	1358717542	1358717541
1358717540	1358717537	1358717487	1358717486	1358717485	1358717484
1358717483	1358717482	1358717455	1358717454	1357312812	1357312810
1357312809	1357312806	1357312803	1357312800	1357312782	1357312779
1357312776	1357308718	1357308715	1357308712	1357308684	1357308682
1357308681	1357308678	1357308675	1357308672	1357308463	1357308462
1357308461	1357308460	1357308459	1357308458	1357308455	1357308454
1357308453	1357308452	1357308449	1357308448	1357308431	1357308430
1357308429	1357308428	1357308425	1357308423	1357308422	1357308421
1357308420	1357308419	1357308418	1357306287	1357306282	1354760191
1354760189	1354760188	1354726335	1354726333	1354726332	1354595255
1354595253	1354591155	1354591153	1354591034	1354591012	1354590907
1354590906	1354590905	1354590904	1354590887	1354590886	1354590871
1354590870	1354563583	1354562487	1354558113	1354558099	1354558098
1354557436	1354557055	1354557053	1354557052	1354557007	1354557005
1354557004	1354525363	1354525362	1354525347	1354525346	1354525331
1354525330	1354523583	1354523319	1354523318	1354523283	1354523282
1354523255	1354523253	1354523252	1354523199	1354523197	1354523196
1354523159	1354523158	1354523151	1354523149	1354523148	1353186236
1353186231	1353186193	1353186191	1353180095	1353180050	1353180044
1353180039	1353179711	1353179709	1353179708	1353179703	1353179701
1353179700	1353179667	1353179666	1353179665	1353179664	1353179663
1353179661	1353179660	1353179655	1353179653	1353179652	1353052987
1353052986	1353052985	1353052984	1353052979	1353052978	1353052977
1353052976	1353052963	1353052962	1353052961	1353052960	1353052946
1353052938	1353052931	1353050810	1353050803	1353050786	1353050771
1353050770	1353050763	1353050762	1353050755	1353050754	1353021345
1353021330	1353021307	1353021306	1353021305	1353021304	1353021258
1353020275	1353020274	1353020273	1353020272	1353020179	1353020163
1353020161	1353015222	1353015173	1353015152	1353015107	1353015091
1353015027	1353014976	1353014759	1353014741	1353014740	1353013137
1353013075	1353013074	1353013073	1353013072	1353013011	1353013010
1353013009	1353013008	1353012945	1353012883	1353012689	1353012688
1353012563	1353012562	1353012561	1353012560	1353012144	1353012059
1353012057	1353012056	1353012019	1353012017	1353011947	1353011928
1353011888	1353011859	1353011858	1353011763	1353011747	1353011745
1353011515	1353011513	1353011483	1353011482	1353011481	1353011480
1353011026	1353010963	1353010643	1353010642	1353010515	1353010514
1353010451	1353010450	1353010387	1352989631	1352989623	1352989621
1352989620	1352989580	1352977333	1352977323	1352977322	1352977315
1352977314	1352977313	1352977312	1352977286	1352976700	1352976657
1352976655	1352976653	1352976652	1352976575	1352976574	1352976555
1352976554	1352976547	1352976546	1352976545	1352976544	1352976526
1352976524	534773759	534739895	335544319	335544244	335020031
333413301	332921844	332914347	332914111	332906383	332889013
332881633	332881404	332881397	332880545	332880316	332880309
					332872644

301693877	301693851	301693848	301693843	301693840	301685435	301685424
301685405	301685181	299892735	299892687	299858932	299858884	299630591
299630555	299630547	299630535	299629500	299629464	299629456	299629444
299622391	299622131	299622119	299622103	299621879	299596788	299596760
299596752	299596748	299589556	299589296	299589284	299589268	299588604
299588568	299588344	299588316	299588084	299491317	299491045	299490228
299489956	299489776	299487221	299487093	299486705	299457532	299456182
299455228	299454388	299454260	299453438	299453418	299453311	299453290
299452732	299452730	299452607	299452606	298545149	298545148	298545077
298545076	298545017	298545016	298545005	298545004	298544945	298544944
298544933	298544932	298544889	298544877	298544861	298544816	298544804
298544788	298544764	298544744	298544716	298544693	298544645	298544568
298544500	298544444	298544424	298544316	298544296	285080502	285080499
285080496	285077229	285077227	285077214	285047733	285047731	285047728
285043639	285043636	285043633	285043428	285043426	285043375	285043366
285043363	285043359	285043350	284977847	284977844	284977831	284977828
284977815	284975861	284975798	284975767	284975646	284975638	283999158
283999157	283999155	283999152	283999015	283999012	283999010	283999009
283998903	283998900	283998898	283998897	283998871	283998868	283998866
283998759	283998756	283998754	283998753	283998726	283998725	283998519
283998517	283998516	283998515	283998513	283998512	283997111	283997108
283997105	283996839	283996836	283996833	283996823	283996820	283996818
283996727	283996724	283996721	283996679	283996676	283996343	283996340
283996338	283996337	283634359	283634356	283634353	283634351	283634346
283634345	283634340	283634338	283634337	283634332	283634330	283634327
283634322	283634311	283634308	283634306	283507637	283507629	283507627
283507620	283507618	283507617	282984447	282984443	282983352	282980349
282980345	282980077	282980073	282980063	282951675	282950588	282950584
282949483	282947508	282947504	282947297	282947293	282946558	282946282
282946276	282946272	282946268	282946223	282946219	282946214	282946210
282946206	282946199	282913524	282912508	282912412	282881789	282881757
282880878	282880702	282880698	282880686	282880682	282880662	282879668
282879580	282879572	282878715	282878685	282878655	282878651	282878614
282878495	282878487	281505533	281505529	281505517	281505513	281505505
281505501	281505497	281505489	281505477	281504500	281504496	281504488
281504484	281504480	281504472	281504468	281504464	281504460	281504446
281504426	281504422	281504418	281504410	281504406	281504402	281504390
281504386	281503484	281503480	281503472	281503468	281503464	281503444
281503436	281503432	281503416	281503412	281503408	281503396	281503392
281503388	281503368	281503364	281503360	281411579	281411562	281411555
281410544	281410536	281410529	281410492	281410488	281410477	281410473
281410468	281410464	281408509	281408500	281408485	281408445	281408441
281408436	281408432	281408428	281408424	281408285	281408281	281408276
281408272	281408261	281408257	281407453	281407436	281407429	281407380
281407372	281407365	281407261	281407252	281407237	281407197	281407188
281407173	281405401	281405336	281405329	281405245	281405236	281405228

281405140 281405132 281405125 281405020 281405013 281404996 281404221
 281404212 281404197 281403967 281403950 281403943 281403935 281403926
 281403911 281402329 281402320 281402312 281402269 281402265 281402260
 281402256 281402252 281402248 281402141 281402137 281402132 281402128
 281402124 281402120 281402077 281402068 281402060 281401945 281401936
 281401928 281401885 281401876 281401868 281401757 281401753 281401149
 281401140 281401044 281400957 281400948 281400940 281400895 281400886
 281400878 281400690 281400671 281399293 281399228 281399221 281399101
 281399092 281399077 281399005 281398876 281398861 281398813 281398796
 281398789 281398513 281398505 281378815 281378799 281378795 281378785
 281377780 281377770 281377764 281377760 281377702 281377698 281376766
 281376756 281376750 281376746 281376702 281376692 281376676 281376672
 281376598 281376582 281369564 281369560 281369554 281369548 281369544
 281369496 281369494 281369490 281369480 281369436 281369432 281369430
 281369420 281369416 281369238 281369228 281368988 281368984 281368982
 281368534 281368530 281368524 281368518 281368514 281368468 281368464
 281368462 281368452 281368448 281368446 281368436 281368432 281368430
 281368214 281368210 281368204 281368198 281368194 281368182 281368172
 281367960 281367958 281367954 281367926 281367922 281367912 281367902
 281367892 281367888 281367422 281367418 281367412 281367196 281367166
 281367162 281367156 281367140 281367103 281367093 281367077 281367073
 281366900 281366896 281366876 281366833 281366813 281366809 281366807
 281366527 281366517 281366501 281366497 281366462 281366452 281366436
 281366432 281366398 281366388 281366372 281366368 281365912 281365910
 281365906 281365848 281365846 281365842 281365785 281365783 281365779
 281365749 281365739 281365733 281365729 281365502 281365430 281365374
 281365364 281365358 281365354 281364724 281364714 281364708 281364704
 281364652 281364642 276824063 276824062 276790199 276790198 276758527
 276757429 276756350 276756335 276756334 276756331 276724662 276722548
 276722487 276722477 276722476 276722471 276722470 276722467 275676085
 275676084 275675957 275675956 275675941 275675940 275675937 275675936
 275217333 275217332 275217313 275217312 275217285 275217284 275215285
 275215284 275215265 275215264 275215237 275215236 275215157 275215156
 275215137 275215136 275215109 275215108 275209715 275209141 275209140
 275209009 275209008 275208997 275208996 275208925 275208869 275208868
 275208853 275208852 275208632 275176100 275176076 275175870 275175860
 275175855 275175854 275175850 275151781 275151780 275151749 275151748
 275149733 275149732 275149701 275149700 275149605 275149604 275149573
 275149572 275144597 275144452 275144183 275144167 275144166 275144162
 275143605 275143604 275143585 275143584 275143573 275143572 275143473
 275143472 275143461 275143460 275143441 275143440 275143429 275143428
 275143333 275143332 275143301 275143300 275143156 275143141 275143140
 275143137 275143101 275143085 275143084 275143080 275142130 275142119
 275142115 275142114 275142064 275142053 275142049 275142048 275142006
 275142003 275142002 275141987 275141557 275141556 275141425 275141424
 275141413 275141412 275141301 275141300 275141281 275141280 275141269

275141268 275141208 275141157 275141156 275141125 275141124 275141049
 275140980 275140977 275140976 275140924 275140921 275140920 275140905
 274987958 274987957 274987955 274987952 274985783 274985780 274985778
 274985777 274985767 274985766 274985765 274985764 274985763 274985762
 274985761 274985760 274983713 274983607 274983604 274983602 274983601
 274983575 274983574 274981681 274981680 274981543 274981540 274981538
 274981537 274981430 274981429 274981427 274981424 274981415 274981414
 274981413 274981412 274981411 274981410 274981409 274981408 274981399
 274981398 274922423 274922421 274922420 274918324 274918320 274918067
 274918066 274918065 274918064 274918039 274918038 274918035 274918034
 274916003 274916001 274916000 274915895 274915893 274915892 274915863
 274915862 274915859 274915858 274661375 274659198 274659181 274659179
 274626414 274625388 274625327 274625315 273580031 273579884 273579882
 273579839 273579815 273579809 273154047 273154026 273154017 273153991
 273150975 273150954 273150945 273150919 273150783 273150762 273150753
 273150727 273145855 273145657 273145639 273145575 273145567 273087406
 273087396 273087366 273086382 273086372 273086342 273086318 273086308
 273086278 273080252 273080226 273080222 273080186 273080164 273080152
 273080146 273080140 273080039 273080015 273079789 273079208 273079152
 273079150 273079024 273079022 273078956 273078926 273078718 273078698
 273078198 273078128 273078126 273078006 273077992 273077982 273077940
 273077930 273077916 273077910 273077868 273077838 273077624 273077618
 273055724 273055719 273055687 273052652 273052647 273052615 273052460
 273052455 273052423 273047551 273047521 273047519 273047498 273047353
 273047335 273047321 273047308 273047303 273047271 273047244 273047239
 273047023 273047010 273045492 273045482 273045471 273045460 273045450
 273045298 273045292 273045273 273045266 273045260 273045255 273045238
 273045224 273045213 273045206 273045192 273045162 273045151 273045130
 273045100 273045068 273045063 273044978 273044970 273044967 273044961
 273044904 273044899 273044859 273044854 273044848 273044835 273044479
 273044281 273044263 273044223 273044193 273044191 273044090 273044068
 273044058 273044049 273044047 273044007 273043980 273043975 273043833
 273043826 273043770 273043753 272826367 272826365 272825278 272825276
 272824186 272824184 272823222 272823220 272823218 272823216 272823154
 272823152 272823099 272823097 272823079 272823077 272823075 272823073
 272822271 272822265 272822198 272822192 272822126 272822120 272822055
 272822049 272822011 272822009 272821981 272821979 272821180 272821178
 272821036 272821034 272820978 272820976 272820922 272820920 272820902
 272820900 272820898 272820896 272820890 272820092 272820090 272820020
 272820018 272819946 272819944 272819874 272819872 272819838 272819836
 272819804 272819802 272819062 272819056 272819007 272819001 272818915
 272818913 272818870 272818868 272818866 272818864 272818858 272818856
 272818806 272818804 272818772 272818770 272818751 272818749 272818727
 272818725 272818723 272818721 272818717 272818715 272807868 272807866
 272807862 272807856 272807854 272807848 272807844 272807842 272807838
 272807832 272807828 272807826 272807820 272807818 272807814 272807808

272804730 272804728 272804722 272804720 272804714 272804712 272804706
272804704 272804698 272804696 272804690 272804688 272804682 272804680
272804674 272804672 272803774 272803766 272803764 272803754 272803746
272803744 272803726 272803724 272803718 272803716 272800622 272800620
272800618 272800616 272800372 272800368 272800366 272800364 272800362
272800360 272800334 272800332 272800330 272800328 272789503 272789497
272789229 272789224 272789211 272787196 272787193 272787114 272787113
272787063 272787060 272787036 272787034 272786155 272786152 272786047
272786044 272786002 272785947 272771071 272771068 272771063 272771060
272771034 272771033 272771026 272771025 272771023 272771020 272771015
272771012 272770746 272770732 272770730 272770722 272770714 272770700
272770698 272770690 272769023 272769017 272768639 272768636 272768633
272768599 272768594 272768593 272768591 272768588 272768585 272768575
272768569 272768527 272768524 272768521

Families generating $\tilde{F}_4$

Families generating F_4 are encoded in the following way. For a family determined by $\pm f_0, \pm f_1, \dots, \pm f_4$ construct a symmetric matrix $G^+ = \{g_{i,j}\}$, where $g_{i,j} = 0$ if f_i is orthogonal to f_j , $g_{i,j} = 1$ if $\angle f_i f_j = \frac{\pi}{3}$ or $\frac{2\pi}{3}$, $g_{i,j} = 2$ if $\angle f_i f_j = \frac{\pi}{4}$ or $\frac{3\pi}{4}$. Let p be a decimal number which is equal to the base three number $\overline{g_{1,2}g_{1,3}\dots g_{1,n}g_{2,3}\dots g_{2,n}\dots g_{i,i+1}\dots g_{i,n}\dots g_{n-1,n}}$. The number p depends on the numbering of vectors $f_1, \dots, f_n$. We choose p the smallest possible. Then p depends only on the family of simplices.

32560 4100 3232 3220 1213 1159 1153 1124 1064 827 825

Families generating $\tilde{G}_2$

The group G_2 can be generated either by triangle with angles $(\frac{\pi}{2}, \frac{\pi}{3}, \frac{\pi}{6})$ or by triangle with angles $(\frac{2\pi}{3}, \frac{\pi}{6}, \frac{\pi}{6})$.

References

- [1] H. S. M. Coxeter. *Discrete groups generated by reflections*. Ann. Math. 35 (1934), no. 3, 588–621.
- [2] A. Felikson. *Coxeter decompositions of hyperbolic polygons*. Europ. J. Combinatorics 19 (1998), 801–817.
- [3] A. Felikson. *Coxeter decompositions of hyperbolic simplices*. Sbornik: Mathematics 193 (2002), no. 12, 1867–1888. arXiv:math.MG/0210067.
- [4] A. Felikson. *Coxeter decompositions of bounded hyperbolic pyramids and triangular prisms*. Math. Notes 75 (2004), no. 3-4, 583–593. arXiv:math.MG/0212195.

- [5] A. Felikson. *Lambert Cube generating discrete reflection group*. Math. Notes 75 (2004), no. 1-2, 250–258.
- [6] A. Felikson. *Spherical simplices generating discrete reflection groups*. Sbornik: Mathematics 195 (2004), no. 3-4, 585–598. arXiv:math.MG/0212244.
- [7] A. Felikson, P. Tumarkin. *Reflection subgroups of Euclidean reflection groups*. arXiv:math.MG/0402403.
- [8] V. Kac. *Infinite dimensional Lie algebras*. Cambridge Univ. Press, 1990.
- [9] E. Klimenko, M. Sakuma. *Two-generator discrete subgroups of $\text{Isom}(\mathbb{H}^2)$ containing orientation-reversing elements*. Geom. Dedicata 72 (1998), 247–282.
- [10] H. A. Schwarz. *Über diejenige Fälle in welchen die Gaussische Reihe eine algebraische Function ihres elementes destellt*. Crelle's J. 1873, v 75, 292–335.
- [11] E. B. Vinberg (Ed.). *Geometry II, Encyclopedia of Mathematical Sciences, Vol. 29*. Springer-Verlag Berlin Heidelberg, 1993.

Independent University of Moscow, Russia
 Max-Planck Institut für Mathematik Bonn, Germany
 e-mail: felikson@mccme.ru pasha@mccme.ru